(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 14 December 2000 (14.12.2000)

PCT

(10) International Publication Number WO 00/75302 A3

(51) International Patent Classification7: C07H 1/08

C12N 15/10,

(21) International Application Number: PCT/GB00/01684

(22) International Filing Date: 2 May 2000 (02.05.2000)

(25) Filing Language:

English

(26) Publication Language:

English

(30) Priority Data:

9910154.5 30 April 1999 (30.04.1999) GB 9910157.8 30 April 1999 (30.04.1999) GB 9910156.0 30 April 1999 (30.04.1999) GB 9910158.6 30 April 1999 (30.04.1999) GB

(71) Applicant (for all designated States except US): CY-CLOPS GENOME SCIENCES LIMITED [GB/GB]; 30 Pilgrim's Lane, London NW3 1SN (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): GOLDSBOROUGH, Andrew, Simon [GB/FR]; 42, rue du Mas du Juge, F-34980 St. Gely du Fesc (FR).

(74) Agents: DANIELS, Jeffrey, Nicholas et al.; Page White & Farrer, 54 Doughty Street, London WC1N 2LS (GB).

(81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, IP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

With international search report.

(88) Date of publication of the international search report: 26 April 2001

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: ISOLATION OF NUCLEIC ACID

(57) Abstract: Provided is a preparative method for isolating RNA comprising an oligo- or polynucleotide from a sample, which method comprises: (a) treating the sample with a reactant capable of covalently modifying the 2'-OH position f the ribose rings f the RNA under conditions so that a proportion of the 2'-OH positions of the ribose rings bear a substituent; and (b) preparing is lated RNA therefrom by separating material containing the substituent from the sample on the basis of a property of the substituent.